









SCAFFOLD AND ACCESS PRODUCTS

Rental | Sales | Service | Training

HOISTS

The LNX Hoist

- Cast Aluminum outer shell provides strength and durability
- Sealed aluminum shell keeps moisture and debris out of electrical and mechanical housings
- Ergonomic design with handles and grips for ease of transport
- Easy to operate
- Built to withstand the toughest conditions
- Easy to clean and maintain
- Annual maintenance takes less than one hour
- Fewer wear parts means less down time



LNX Specifications	
Lifting Capacity	750, 1000, 1250, or 1500
Voltage	185 to 220 Volts
Phase	Single and Three
Motor Type	1.9 HP
Amperage	9.0
Weight	126 lbs

Dual-line LNX hoists also available. Contact Sky Climber Access Solutions for details.

Hoist Features
Emergency Stop
Non-powered Control Descent
Manual Ascent Handle
Overspeed Indicator
Self Reeving
Internal Secondary Brake (2)
Worm Gear Box
Voltage Meter


Optional features
Overload Protection
Upper Limit Switch
Ultimate Upper Limit Switch

SUSPENDED ACCESS PLATFORMS

Sky Stage Ultra (SSU) Standard Platforms

Sky Stage Ultra is a modular platform that combines the best of current technology with new concepts. SSU Platforms are

easily configured to a wide variety of shapes and sizes. Available in varying lengths with load capacities up to 2000 lbs.







SERVICES and TRAINING

Sky Climber Access Solutions California offers services in addition to product sales and rentals:

Davit and Anchor testing and inspection Rigging services Consultation We also provide a variety of training classes to educate your crews . Call us for more information on:

Suspended Scaffold User or Competent Person training Fall Arrest training
Aerial Work Platform training (MEWP)



ROOF RIGGING & ACCESSORIES

Adjustable Parapet Clamp

Outreach 16", 20", and 24" from wall. 6 to 32" wall opening. Rated at 1500 lbs.



Beam Connecting Tube

No more nuts & bolts to drop, handle or rust, beam connector cuts rigging time by 60%. Available in 2', 3' and 8' lengths.



Beam Saddle

For flat positioning of beam on roof, parapet or other flat surface; used with beams.



Sky Rig



Edge Roller

Repositions workers away from roof's edge. Prevents rope and parapet wall damage. Extends life of lifelines, electrical cords & wire ropes.



Roof Davits

Weight and reach capacities matched to our platform systems. Meets OSHA/ANSI/ASME standards. Ground-launched and roof-launched models available, with 2-line and 4-line system capacity.

Roof and Wall Anchorages

Made in the US. Standard and custom anchors available.



FALL PROTECTION

Lanyards



Lifeline Protectors



Lifeline (bulk)



Rope Grabs



Removable Anchors



Lifeline Termination Plate



Harnesses



SOLUTIONS & SERVICES

ADDITIONAL OFFERINGS

System Scaffolding

Shoring

Dual and Single Monorails

Davit Systems Permanent and rental

Light Duty Mast Climbers

Material Hoists Electric and gas powered

P.E. Load Testing Certifications

Boiler and Industrial Access

Debris Netting

Custom Manufacturing Steel fabrication and galvanizing











Atlanta, GA 6145-L Northbelt Pkwy Norcross, GA 30071 770-908-9700

Chicago, IL 7410 Niles Ctr Rd Ste 102 Skokie, IL 60077 847-600-3900

Los Angeles 13726 Rosecrans Ave. Santa Fe Springs, CA 90670 562-926-0400

Kansas City, MO 1429 Murray Street N. Kansas City, MO 64116 816-912-2328

Miami, FL 11 S.W. 12th Ave, Unit 102 Dania Beach, FL 33004 954-518-1070